

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 1

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

ELSD CALIBRATION FOR EXTRACTED OIL




FIG. 2

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

EXTRACTED SOY BEAN OIL
EVAPORATIVE LIGHT SCATTERING DETECTION




FIG. 3

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

CORRELATION OF LS RESULTS WITH ASE FOR SOY

SAMPLE	% OIL LS	% OIL ASE	LS/ASE
1	17.7	19.7	0.90
2	19.7	21.8	0.90
3	17.8	20.1	0.89
4	19.4	21.8	0.89
5	18.8	23.3	0.81
6	18.3	21.9	0.84
7	16.9	20.1	0.84
8	19.3	22.2	0.87
9	17.8	20.5	0.87
10	17.9	20.6	0.87
11	20.6	18.3	1.13
12	18.6	20.5	0.91

FIG. 4

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 5

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 6

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 7

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 8